



TEST REPORT

Send To: 76890

CAROLINA ICE COMPANY, INC.
2466 OLD POOLE ROAD
KINSTON NC 28504
Attn: MR. DUANE HOWARD

Customer: 76890

CAROLINA ICE COMPANY, INC.
2466 OLD POOLE ROAD
KINSTON NC 28504
Attn: MR. DUANE HOWARD

Plant: 76891

ICE MANUFACTURING & PACKAGING
2697 HIGHWAY 258 NORTH
KINSTON NC 28504
Attn: MR. DUANE HOWARD

Product: USFDA BASIC - PRODUCT - [AA] (Carolina Ice/Ice Cubes)


Test Type: AA - Annual Collection

Thank you for having your product tested by NSF.

The enclosed report details the result of the testing performed on your product. Your program representative will be contacting you in the near future if there are any remaining issues concerning the status of this product.

NSF is pleased to announce that you can now access your test reports and product compliance certificate via NSF Online. It is a web-based solution that allows you to make critical business decisions by giving you instant access to your data whenever you need it. NSF Online is a secure website exclusively for NSF customers that offers 24/7 access to your account information at the click of a mouse. Visit www.nsf.org, and in the top right corner, you will see a Client Log-In Link. Click on that link and follow the instructions. If you don't know your password/personal ID, please contact your project manager or e-mail: nsfonline@nsf.org.

Please do not hesitate to contact us if you have any immediate questions pertaining to your product.

Reviewer: 
Kurtis Kneen - Director, Chemistry Laboratory

Status: **Compliant**

CC: Program: 0195 - Beverages Program
Program Rep DEBORAH GLENN
Region: 01 - Domestic
PA Project: 9030209

General Information

Standard: USFDA - USFDA CFR Title 21 Part 165.110 Bottled Water

Brand Name: Carolina Ice/Ice Cubes
 Clients Name for Product: Packaged Ice
 Date and Time Collected: 5/1/09, 5/18/09, 5/18/09
 Fluoride Action Limit: 2.4
 Sample Taken From: Bag

Sample Id: **S-0000654810**

Description: Packaged Ice 5/1/09, 5/18/09, 5/18/09

Sampled Date: 05/21/2009

Received Date: 05/21/2009

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Physical Quality					
Alkalinity as CaCO3	5	ND		mg/LCaCO3	
Color	5	ND	15	Color Unit	Pass
Specific Conductance	0.1	0.9		umhos/cm	
Corrosivity	0	-6.34			
Hardness, Total	2	ND		mg/LCaCO3	
Odor, Threshold	1	1	3	TON	Pass
Solids Total Dissolved	5	ND	500	mg/L	Pass
Turbidity	0.1	0.1	5	NTU	Pass
pH	0.01	5.36			
Temperature	0	20		deg. C	
Bicarbonate	5	ND		mg/L HCO3	
Disinfection Residuals/Disinfection By-Products					
Bromate	5	ND	10	ug/L	Pass
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
Chlorite	10	ND	1000	ug/L	Pass
Bromochloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	8		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Monochloroacetic Acid	2	ND		ug/L	
Total Haloacetic Acid	1	8	60	ug/L	Pass
Trichloroacetic Acid	1	ND		ug/L	
Radiologicals					
P1 Gross Alpha	3	ND	15	pCi/L	Pass
P1 Gross Beta	4	ND	50	pCi/L	Pass
Radium 226 by SM705 (modified)	1	ND		pCi/L	
Radium 228 by Ra-05	1	ND		pCi/L	
Total Radium	1	ND	5	pCi/L	Pass
Uranium	0.001	ND	0.03	mg/L	Pass
Inorganic Chemicals					
Aluminum	0.01	ND	0.2	mg/L	Pass
Antimony	0.0005	ND	0.006	mg/L	Pass
Arsenic	0.002	ND	0.01	mg/L	Pass
Barium	0.001	ND	2	mg/L	Pass
Beryllium	0.0005	ND	0.004	mg/L	Pass

Sample Id: S-0000654810

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Inorganic Chemicals					
Bromide	10	ND		ug/L	
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.02	ND		mg/L	
Chloride	2	ND	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.01	ND	0.1	mg/L	Pass
Fluoride	0.1	ND	2.4	mg/L	Pass
Iron	0.02	ND	0.3	mg/L	Pass
Lead	0.001	ND	0.005	mg/L	Pass
Magnesium	0.02	ND		mg/L	
Manganese	0.001	ND	0.05	mg/L	Pass
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.001	ND	0.1	mg/L	Pass
Nitrogen, Nitrate	0.05	ND	10	mg/L N	Pass
Nitrogen, Nitrite	0.025	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.02	ND	10	mg/L	Pass
Potassium	0.5	ND		mg/L	
Selenium	0.002	ND	0.05	mg/L	Pass
Silver	0.001	ND	0.1	mg/L	Pass
Sodium	0.5	ND		mg/L	
Sulfur, Sulfate	0.5	ND	250	mg/L	Pass
Surfactants (MBAS)	0.2	ND		mg/L	Pass
Thallium	0.0002	ND	0.002	mg/L	Pass
Phenolics	0.001	ND	0.001	mg/L	Pass
Zinc	0.01	ND	5	mg/L	Pass
Organic Chemicals					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref: EPA 548.1) - (ug/L)					
Endothall	9	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	10	ND	30	pg/L	Pass
Carbamate Pesticides (Ref: 531.2)					
3-Hydroxycarbofuran	1	ND		ug/L	
Aldicarb	1	ND		ug/L	
Aldicarb sulfone	1	ND		ug/L	
Aldicarb sulfoxide	1	ND		ug/L	
Carbaryl	1	ND		ug/L	
Carbofuran	1	ND	40	ug/L	Pass
Methomyl	1	ND		ug/L	
Oxamyl	1	ND	200	ug/L	Pass
Herbicides (Ref: EPA 515.3)					

Sample Id: S-0000654810

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
2,4,5-TP	0.2	ND	50	ug/L	Pass
2,4-D	0.1	ND	70	ug/L	Pass
Bentazon	0.2	ND		ug/L	
Dalapon	1	ND	200	ug/L	Pass
DCCA Acid Metabolites	0.2	ND		ug/L	
Dicamba	0.1	ND		ug/L	
Dinoseb	0.2	ND	7	ug/L	Pass
Pentachlorophenol	0.04	ND	1	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Multicomponent Pesticides and PCBs (Ref: EPA 505)					
Chlordane	0.2	ND	2	ug/L	Pass
PCB 1016	0.3	ND	0.5	ug/L	Pass
PCB 1221	0.4	ND	0.5	ug/L	Pass
PCB 1232	0.4	ND	0.5	ug/L	Pass
PCB 1242	0.3	ND	0.5	ug/L	Pass
PCB 1248	0.2	ND	0.5	ug/L	Pass
PCB 1254	0.2	ND	0.5	ug/L	Pass
PCB 1260	0.3	ND	0.5	ug/L	Pass
Toxaphene	1	ND	3	ug/L	Pass
Semivolatile Organic Compounds (Ref: EPA 525.2)					
2,4 Dinitrotoluene	0.5	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Aldrin	0.1	ND		ug/L	
Atrazine	0.2	ND	3	ug/L	Pass
Benzo(a)Pyrene	0.1	ND	0.2	ug/L	Pass
bis(2-Ethylhexyl)adipate	2	ND	400	ug/L	Pass
bis(2-Ethylhexyl)phthalate	2	ND		ug/L	
Butachlor	0.2	ND		ug/L	
Butylbenzylphthalate	2	ND		ug/L	
Di-n-butylphthalate	2	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
EPTC	0.5	ND		ug/L	
Heptachlor	0.1	ND	0.4	ug/L	Pass
Heptachlor Epoxide	0.1	ND	0.2	ug/L	Pass
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
Lindane	0.1	ND	0.2	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
Metolachlor	0.1	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Molinate	0.1	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	

Sample Id: S-0000654810

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
Propachlor	0.1	ND		ug/L	
Simazine	0.2	ND	4	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
Miscellaneous					
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1,2,2-Tetrachloroethane	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	
1,2,3-Trimethylbenzene	0.5	ND		ug/L	
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,3-Dichloropropane	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
2,2-Dichloropropane	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Bromobenzene	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
Bromodichloromethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
Bromomethane	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
Chlorobenzene	0.5	ND	100	ug/L	Pass
Chlorodibromomethane	0.5	ND		ug/L	
Chloroethane	0.5	ND		ug/L	
Chloroform	0.5	ND		ug/L	
Chloromethane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
cis-1,3-Dichloropropene	0.5	ND		ug/L	
Dibromomethane	0.5	ND		ug/L	
Dichlorodifluoromethane	0.5	ND		ug/L	
Ethyl Benzene	0.5	ND	700	ug/L	Pass

Sample Id: S-0000654810

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Miscellaneous					
Hexachlorobutadiene	0.5	ND		ug/L	
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
m+p-Xylenes	1	ND		ug/L	
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Methylene Chloride	0.5	ND	5	ug/L	Pass
n-Butylbenzene	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
o-Xylene	0.5	ND	10000	ug/L	Pass
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
tert-Butylbenzene	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Toluene	0.5	ND	1000	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass
trans-1,3-Dichloropropene	0.5	ND		ug/L	
Trichloroethylene	0.5	ND	5	ug/L	Pass
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass

Sample Id: S-0000670764

Description: Packaged Ice

Sampled Date: 07/08/2009

Received Date: 07/08/2009

Testing Parameter	Detection Limit	Result	FDA SOQ	Units	P / F
Disinfection Residuals/Disinfection By-Products					
Chloramine, Total	0.05	ND	4	mg/L	Pass
Dichloramine	0.05	ND		mg/L	
Monochloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass

<<Additional Information>>

Sample Id: S-0000654810

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Physical Quality			
* Alkalinity (Ref: SM 2320-B)	21-MAY-2009		
* Color (Ref: SM 2120-B)	21-MAY-2009	14:15	
Specific Conductance (Ref: EPA 120.1)	21-MAY-2009		
* Corrosivity (Ref: SM 2330-B)			
* Hardness, Total (Ref: EPA 200.7)	28-MAY-2009		
* Odor, Threshold Number (Ref: EPA 140.1)	21-MAY-2009		
* Solids, Total Dissolved (Ref: SM 2540-C)	22-MAY-2009		
Turbidity (Ref: EPA 180.1)	21-MAY-2009	14:30	
pH (Ref: EPA 150.1)	21-MAY-2009	12:40	
* Bicarbonate (Ref: SM 2320-B)			
Disinfection Residuals/Disinfection By-Products			
Bromate (Ref: EPA 300.1)	21-MAY-2009		
* Chloramines (Ref: SM 4500-Cl-G)	26-MAY-2009	10:30	
* Chlorine, Total Residual (Ref: SM 4500-Cl-G)	21-MAY-2009	14:50	
Chlorite (Ref: EPA 300.1)	21-MAY-2009		
* Chlorine Dioxide (Ref: SM 4500-ClO2-D)	26-MAY-2009	10:30	
Haloacetic Acids (Ref: EPA 552.2)	2-JUN-2009		2-JUN-2009
Radiologicals			
(1) * Gross Alpha/Beta Counts (Ref: EPA 900)- General Engineering	28-MAY-2009		
(1) * Total Radium (General Engineering)	1-JUN-2009		
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Inorganic Chemicals			
Aluminum (Ref: EPA 200.8)	28-MAY-2009		
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Barium in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Bromide (Ref: EPA 300.1)	21-MAY-2009		
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)	28-MAY-2009		
Chloride (Ref: EPA 300.0)	21-MAY-2009		
Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Cyanide, Total (Ref: EPA 335.4)	22-MAY-2009		

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Inorganic Chemicals			
Fluoride (Ref: SM 4500-F-C)	22-MAY-2009		
Iron in Drinking Water by ICPAES (Ref: EPA 200.7)	28-MAY-2009		
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)	28-MAY-2009		
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Nitrogen, Nitrate (Ref: EPA 300.0)	21-MAY-2009	1133	
Nitrogen, Nitrite (Ref: EPA 300.0)	21-MAY-2009	1133	
Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)			
Potassium by ICPAES (Ref: EPA 200.7)	28-MAY-2009		
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Silver in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)	28-MAY-2009		
Sulfur, Sulfate (Ref: EPA 300.0)	21-MAY-2009		
* Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)	21-MAY-2009	13:20	
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Phenolics, Total Recoverable (Ref: EPA 420.2)	27-MAY-2009		
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)	28-MAY-2009		
Organic Chemicals			
Diquat (Ref: EPA 549.2)	2-JUN-2009		1-JUN-2009
Test Notes			
6-1-09. Sample was ice that was resampled on 6-1-09. BS			
Endothall (Ref: EPA 548.1) - (ug/L)	27-MAY-2009		27-MAY-2009
Glyphosate (Ref: EPA 547)	28-MAY-2009		
Perchlorate (Ref: EPA 314.0)	26-MAY-2009		
2,3,7,8-TCDD (Ref: EPA 1613B)	27-MAY-2009		27-MAY-2009
Carbamate Pesticides (Ref: 531.2)	2-JUN-2009		
Herbicides (Ref: EPA 515.3)	28-MAY-2009		28-MAY-2009
Multicomponent Pesticides and PCBs (Ref: EPA 505)	26-MAY-2009		
Semivolatile Organic Compounds (Ref: EPA 525.2)	29-MAY-2009		29-MAY-2009
Volatiles: EDB and DBCP (Ref: EPA 504.1)	26-MAY-2009		
Miscellaneous			
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)	21-MAY-2009		

<<Additional Information>>

Test Parameter	Date Analyzed	Time Analyzed	Date Prepared/ Processed
Disinfection Residuals/Disinfection By-Products			
* Chloramines (Ref: SM 4500-Cl-G)	8-JUL-2009	15:00	
* Chlorine Dioxide (Ref: SM 4500-ClO2-D)	8-JUL-2009	15:00	

Testing Laboratories:

	Flag	Id	Address
All work performed at: (Unless otherwise specified)	→	NSF_AA	NSF INTERNATIONAL 789 N. DIXBORO ROAD ANN ARBOR MI 48105
	(1)	GENENG	GEL Laboratories LLC 2040 Savage Road Charleston, SC 29407 NELAP PA certificate number 68-000485 Arizona License #AZ0668

References to Testing Procedures:

NSF Reference	Parameter / Test Description
C0185	* Total Radium (General Engineering)
C1010	* Odor, Threshold Number (Ref: EPA 140.1)
C2015	2,3,7,8-TCDD (Ref: EPA 1613B)
C3013	Chloride (Ref: EPA 300.0)
C3014	Bromide (Ref: EPA 300.1)
C3015	Bromate (Ref: EPA 300.1)
C3016	Nitrogen, Nitrate (Ref: EPA 300.0)
C3017	Nitrogen, Nitrite (Ref: EPA 300.0)
C3018	Sulfur, Sulfate (Ref: EPA 300.0)
C3019	Cyanide, Total (Ref: EPA 335.4)
C3021	Phenolics, Total Recoverable (Ref: EPA 420.2)
C3025	Chlorite (Ref: EPA 300.1)
C3033	Aluminum (Ref: EPA 200.8)
C3036	Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3039	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3042	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3044	Calcium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3047	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3053	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3059	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3064	Iron in Drinking Water by ICPAES (Ref: EPA 200.7)
C3072	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3079	Potassium by ICPAES (Ref: EPA 200.7)
C3085	Magnesium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3086	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3091	Sodium in Drinking Water by ICPAES (Ref: EPA 200.7)
C3094	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3101	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3114	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3116	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3128	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3136	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3144	* Solids, Total Dissolved (Ref: SM 2540-C)
C3145	Turbidity (Ref: EPA 180.1)
C3155	* Surfactants, Methylene Blue Active Substances (Ref: SM 5540-C)
C3157	* Color (Ref: SM 2120-B)
C3158	Specific Conductance (Ref: EPA 120.1)
C3159	pH (Ref: EPA 150.1)
C3161	* Hardness, Total (Ref: EPA 200.7)
C3166	* Bicarbonate (Ref: SM 2320-B)
C3167	* Chlorine, Total Residual (Ref: SM 4500-CL-G)
C3168	* Chlorine Dioxide (Ref: SM 4500-CIO2-D)
C3169	* Chloramines (Ref: SM 4500-CI-G)
C3170	Fluoride (Ref: SM 4500-F-C)
C3174	* Alkalinity (Ref: SM 2320-B)
C3188	Silver in Drinking Water by ICPMS (Ref: EPA 200.8)
C3210	* Corrosivity (Ref: SM 2330-B)

References to Testing Procedures: (Cont'd)

NSF Reference	Parameter / Test Description
C3244	* Gross Alpha/Beta Counts (Ref: EPA 900)- General Engineering
C3342	Total Nitrite + Nitrate-Nitrogen (Ref: EPA 300.0)
C4076	Carbamate Pesticides (Ref: 531.2)
C4145	Diquat (Ref: EPA 549.2)
C4154	Endothall (Ref: EPA 548.1) - (ug/L)
C4193	Glyphosate (Ref: EPA 547)
C4198	Haloacetic Acids (Ref: EPA 552.2) (comment: NELAC approved method)
C4202	Herbicides (Ref: EPA 515.3)
C4292	Multicomponent Pesticides and PCBs (Ref: EPA 505)
C4343	Semivolatile Organic Compounds (Ref: EPA 525.2)
C4411	Volatiles: EDB and DBCP (Ref: EPA 504.1)
C4496	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C4497	Perchlorate (Ref: EPA 314.0)
C4661	Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)

Certifications:

Michigan (# 0048)	Florida (# E-87752 FL)	California (# 01149 CA)
New York (# 11206)	Connecticut (# PH-0625)	New Jersey (# 62770)
South Carolina (# 81005)	Pennsylvania (# 68-00312)	Arizona (# AZ0655)
Hawaii	Indiana	Maryland (# 201)
Nevada (# MI000302007A)	Virginia (# 00045)	Vermont (# VT 11206)

Test descriptions preceded by an asterisk "*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.

Notes:

- 1) Bottled water sold in the United States shall not contain Fluoride in excess of the levels published by the USFDA in 21 CFR Part 165.110. These levels are based on the annual average of maximum daily air temperatures at the location where the bottled water is sold at retail. Please refer to the most current edition of the regulation to determine the Fluoride maximum level that pertains to your product.
- 2) A blank on the FDA SOQ column indicates that no maximum level has been established by the FDA for that contaminant.
- 3) An ND result means that the contaminant was not detected at or above the detection limit for the instrument.